

**AMENDMENTS TO THE CLAIMS**

1. (currently amended) A method for displaying a plurality of string objects, ~~consisting of the following steps~~ the method comprising:

selecting one of a plurality of sort order criteria;

wherein each of the plurality of sort order criteria is based on string-object information;

sorting a plurality of said string objects based on the selected sort order of said string ~~object~~ objects; and

displaying a plurality of said string objects in the selected sort order.

2. (currently amended) The method as defined in claim 1,

wherein an identifier is provided for each of said plurality of sort order criteria;

wherein a user may select one of the identifiers; and

wherein if none of the identifiers is selected, then a default sort order is designated and a plurality of said string objects are sorted and displayed according to the default sort order criteria.

3. (currently amended) The method as defined in claim 2, wherein the default sort order ~~may be~~ is pre-selected by the user or ~~the a system or it may be that which was in place the last time that method was used or it may be decided by an algorithm.~~ a system

4. (currently amended) The method as defined in claim 1, further comprising ~~the following steps after the step of selecting the sort order criteria:~~

further dividing a the plurality of said string objects into a plurality of groups;  
 selecting one of said plurality of groups; and  
 displaying the string objects of the selected group in a manner that is different from ~~the~~ a  
 manner of displaying the string objects of other groups.

5. (currently amended) The method as defined in claim 1, further comprising ~~the~~  
~~following steps after the step of selecting the sort order criteria:~~

further dividing a the plurality of said string objects into a plurality of groups;  
 selecting one of said plurality of groups; and  
 moving a cursor to the location of the string objects of the selected group.

6. (currently amended) The method as defined in claim 4, wherein said different manner  
 of displaying string objects ~~comprise (but not limit to) one or more~~ comprises at least one of  
 blinking, changing the font, enlarging the size, highlighting ~~or~~ and changing color of the string  
 objects.

7. (currently amended) The method as defined in claim 4 or 5,  
 wherein an identifier is provided for each group;  
wherein a user may select one of the identifiers; and  
wherein if none of the identifiers is selected, then a default group is designated, and  
 string objects of the default group are displayed in a manner that is different from ~~the~~ a manner  
 of displaying the string objects of other groups or the cursor is moved to the location of the  
 string objects of the selected group.

8. (currently amended) The method as defined in claim 7,  
wherein ~~said~~ the identifiers of groups that belong to different sort order criteria ~~may be~~  
are displayed simultaneously; and  
wherein the string objects are re-sorted if the selected group does not ~~belongs~~ belong to  
the current sort order criteria.

9. (currently amended) The method as defined in claim 7, wherein the default group ~~may~~  
~~be~~ is pre-selected by the user or ~~the~~ a system ~~or it may be is that which was in place the last time~~  
~~that the method was used or it may be is decided by an algorithm.~~

10. (currently amended) The method as defined in claim 4, or 5, ~~or 6~~, wherein the  
number of the plurality of groups is decided by the number of identifiers that can be displayed or  
the number of objects included in the groups.

11. (currently amended) The method as defined in ~~any one of~~ claim 1 ~~to 5~~, wherein said  
sort order criteria ~~comprise~~ comprises at least one of alphabet order, Pinyin order, Zhuyin order,  
stroke order, stroke count order, radical order, kana order ~~or~~ and Korean character order.

12. (currently amended) The method as defined in ~~any preceding~~ claim 1, wherein said  
string objects ~~may be~~ are one of personal data in an address book, links of Internet addresses, file  
names ~~or~~ and another ~~other~~ list of text.

13. (currently amended) An apparatus for displaying a plurality of string objects,  
comprising:

a storage means for storing a plurality of said string objects;

an input means for entering user commands;

a sorting means for responding to ~~the~~ a sort order criteria ~~entered~~ selected from a plurality of sort order criteria by a user, wherein each of the plurality of sort order criteria is based on string-object information, retrieving a plurality of said string objects from said storage device, and sorting ~~a~~ the plurality of said string objects based on the selected sort order criteria of the string objects; and

a display means for displaying a plurality of said string objects in the selected sort order.

14. (currently amended) The apparatus as defined in claim 13,

wherein an identifier is provided for each of said plurality of sort order criteria on said display means;

wherein ~~a~~ the user may select one of the identifiers by said input means; and

wherein if none of the identifiers is selected, then a default sort order criteria is designated and a plurality of said string objects are sorted and displayed according to the default sort order criteria.

15. (currently amended) The apparatus as defined in claim 14, wherein the default sort order ~~may be~~ is pre-selected by the user or ~~the~~ a system ~~or it may be that which was in place the last time that method was used or it may be decided by an algorithm.~~

16. (currently amended) The apparatus as defined in claim 13, further comprising:

a grouping means for further dividing ~~said~~ the sorted string objects into a plurality of groups; selecting one of said plurality of groups; and displaying the string objects of the selected

group in a manner that is different from ~~the~~ a manner of displaying the string objects of other groups.

17. (currently amended) The apparatus as defined in claim 13, further comprising:

a grouping means for further dividing ~~said~~ the sorted string objects into a plurality of groups; selecting one of said groups; and moving a cursor to the location of string objects of the selected group.

18. (currently amended) The apparatus as defined in claim 16, wherein ~~said the~~ different manner of displaying string objects ~~comprise (but not limit to) one or more~~ comprises at least one of blinking, changing the font, enlarging the size, highlighting ~~or~~ and changing color of the string objects.

19. (currently amended) The apparatus as defined in claim 16 or 17,

wherein an identifier is provided for each group on said display means;

wherein a user may select one of the identifiers; and

wherein if none of the identifiers is selected, then a default group is designated, and only the string objects of the default group are displayed or the first string object of the default group is highlighted.

20. (currently amended) The apparatus as defined in claim ~~13~~ 19,

wherein ~~said the~~ the identifiers of groups that belong to different sort order criteria ~~may be~~ are displayed simultaneously; and

wherein the string objects are re-sorted if the selected group does not ~~belongs~~ belong to the current sort order criteria.

21. (currently amended) The apparatus as defined in claim 19, wherein the default group ~~may be~~ is pre-selected by the user or the a system ~~or it may be that which was in place the last time that method was used or it may be decided by an algorithm.~~

22. (currently amended) The method as defined in claim 16; or ~~17 or 18~~, wherein the number of groups is decided by the number of identifiers that can be displayed or the number of objects included in the groups.

23. (currently amended) The method as defined in ~~any one of~~ claim 13 ~~to 18~~, wherein said sort order criteria ~~comprise~~ comprises at least one of alphabet order, Pinyin order, Zhuyin order, stroke order, stroke count order, radical order, kana order ~~or~~ and Korean character order.

24. (currently amended) The apparatus as defined in ~~any one of~~ claim 13 ~~to 23~~, wherein said string objects ~~may be~~ are one of personal data in an address book, links of Internet addresses, file names ~~or other~~ and another list of text.

25. (currently amended) The apparatus as defined in ~~any one of~~ claim 13 ~~to 24~~, wherein said apparatus is ~~either~~ one of a computer, a personal digital assistant (~~PDA~~), a mobile phone, a smart phone ~~or other~~ and another electrical device that is capable of displaying text information.

26. (new) The method as defined in claim 2, wherein the default sort order is that which was in place the last time that the method was used.

27. (new) The method as defined in claim 2, wherein the default sort order is decided by an algorithm.

28. (new) The method as defined in claim 7, wherein the default group is that which was in place the last time that the method was used.

29. (new) The method as defined in claim 7, wherein the default group is decided by an algorithm.

30. (new) The apparatus as defined in claim 14, wherein the default sort order is that which was in place the last time that the method was used.

31. (new) The apparatus as defined in claim 14, wherein the default sort order is decided by an algorithm.

32. (new) The apparatus as defined in claim 19, wherein the default group is that which was in place the last time that the method was used.

33. (new) The apparatus as defined in claim 19, wherein the default group is decided by an algorithm.